S U Z U K I O 9 E Q U A T O R ®







"The Suzuki Equator Crew Cab RMZ-4 pickup handily won this year's test, despite being pitted against top-of-the-line competition,"

Petersen's 4-Wheel & Off-Road





POWER

The available class-leading 4.0 liter V6 DOHC engine churns out a sweet 261 horsepower with 281 lb.-ft of take-charge torque.

Towing, climbing or running cross-country, you're a force to be reckoned with.



Equator®'s exceptional ground clearance helps keep your undercarriage well above all that 4WD action and high performance Bilstein® shocks plus rugged skid plates on the RMZ-4 make molehills of off-road obstacles.



OFF-ROAD READY

The Equator® RMZ-4 is loaded with features that will make your off-road adventures epic: With B.F.

Goodrich® Rugged Trail tires, electronic locking rear differential to lock the rotation speed of the back wheels for increased traction and Vehicle Dynamic Control (VDC), Equator® RMZ-4 has the technology to help keep you on your intended path when you're really stretching your off-road legs.



Equatore Pounds

With up to 6,500 lb. towing capacity, it's not likely there's a toy you'll have to leave behind. And with available

4-Wheel Active Limit Slip Traction Control, you're equipped for those nasty towing jobs like wet, slick boat ramps.



ADAPTABLE

Think utility. Do it all. Fit it all. And look sharp while you're at it.

The available cargo tie-down system securely locks down any payload using five channels and four tough moveable / removable cleats.

The available factory-installed spray-on bed liner protects the bed against scrapes, scratches and corrosion, and with the five-passenger crew cab, you can choose between 5- or 6-foot bed length beds.

T O W I N G



VERSATILE

The Crew Cab's 60/40 rear-seat does an acrobatic flip down creating a

hauling or work surface, and then it flips up for additional in-cab storage.











C H O I C E

Easy decision. Match your cab size to the number of people who regularly ride with you.

Lone wolves may fit best with the Extended Cab. If you like to share your ride, then you'll probably want the added seating of the Crew Cab.



TOUR

GUIDE

The Suzuki TRIP[™] navigation, which stands for Travel, Real-time traffic, Information and Play, provides turn-by-turn driving directions and contains over six million standard points of interest such as hotels, restaurants and ATMs. You can also get MSN Direct[®] 1 real-time traffic, weather, news, stocks, movie times and lowest gas prices.



SOUNDS

Hit the streets backed by your multi-gig MP3 playlists pumping out of the available Rockford Fosgate® 9-speaker audio system. A 6-disc indash CD player plays MP3 and WMA™ audio files. It's XM® Satellite Radio ready and allows for direct connection with your iPod®.

¹Includes one year free MSN® Direct service subscription. Some services available only in select cities where coverage exists.

EQUATOR® SPECIFICATIONS AND FEATURES S = Standard O = Optional — = Not Available		EXTENDED CAB		CREW CAB					EXTENDED CAB			CREW CAB		
o cramana o opinom		BASE F	PREMIUM	SPORT	BASE	SPORT	RMZ-4		BASE P	REMIUM	SPORT	BASE	SPORT	RMZ-4
POWERTRAIN								COMFORT AND CONVENIENCE						
2.5-liter Inline-4, 152 hp, 171 lbft. torque	e, 16-valve DOHC engine	S	S	_	_	_	_	Integrated TRIP™ navigation		_	_	0	0	0
4.0-liter V6, 261 hp, 281 lbft. torque, 24-	-valve DOHC engine	_	_	S	S	S	S	Bluetooth®4 hands-free system		_	_	_	_	0
Zero-maintenance, self-adjusting timing	chain	S	S	S	S	S	S	Cruise control		S	S	_	S	S
5-speed manual transmission		S	_	_	_	_	_	Power windows and door locks		S	S	_	S	S
5-speed automatic transmission with ov	verdrive	_	S	S	S	S	S	Remote keyless entry		S	S	_	S	S
Rear-Wheel Drive (RWD)		S	S	S	S	S		Air conditioning		S	S	S	S	S
4-Wheel Drive (4WD) system with low-ra	ange gearing	_	_	_	_	0	S	90 degree rear door opening access		S	S		_	_
Active Limited Slip Traction Control		_	_	S	_	S	<u> </u>	Front and rear pillar-mounted assist grips		S	S	S	S	S
Hill Hold Control (HHC) and Hill Descent	Control (HDC)	_	_	_	_	_	0	Door-ajar and low-fuel warning lights	<u>S</u>	S	S	S	S	S
BODY/SUSPENSION/CHASSIS								STORAGE						
Rugged body-on-frame construction wi	th fully-boxed ladder frame	S	S	S	S	S	S	Front and rear console cup holders	S	S	S	S	S	S
Independent front suspension with stabilizer bar and ov	verslung multi-leaf spring rear suspension	S	S	S	S	S	S	Dual glove box (lower with illumination and lock)	S	S	S	S	S	S
Bilstein®1 high-performance shocks		_	_	_	_	_	S	Center console box with lid	S	S	S	S	S	S
Power-assisted rack-and-pinion steering		S	S	S	S	S	S	Front driver seat back pocket		_	_	S	S	S
-								Overhead console sunglass holder		_	_	S	S	S
EXTERIOR FEATURES		15"			1.011			Rear underseat storage	S	S	S	S	S	S
P235/75R15 General Grabber AW steel wheels P265/70R16 and P265/65R17 BFGoodrich® Long Trail tires		15"	16"	 17"	16"	17"	16"	AUDIO CVCTPAC						
			S	S			<u> </u>	AUDIO SYSTEMS	0					
Full-size styled spare tire			S	S	S	S		4-speaker AM/FM/CD audio system		S	S			_
Chrome rear bumper with mounted class III tow hitch ball provision			S	S	S	S	<u> </u>	6-speaker AM/FM/CD audio system				S	S	S
Detachable tailgate with lock 6-foot cargo bed with rope hooks inside bed			S					9-speaker AM/FM/CD Rockford Fosgate® ⁵ audio system with subwoofer, in-dash 6-disc changer, MP3/WMA"/XM® ⁶ Satellite Radio ready	_	_	_	_	_	0
5- or 6-foot cargo bed with spray-on bed liner and track						 5'/6' ³		Trush o disc changer, IVII J/ WIVIA / NIVI Satellite Nadio Teady						
Variable intermittent front windshield v				S	S	S	<u> </u>	CAPACITIES AND CURB WEIGHTS						
Rear door and window privacy glass		<u> </u>	S	S	S	S	<u> </u>	2WD/4WD maximum payload (lbs.)	986	883	1,461	1471	1,471/1,3828	1,10
		,	,	,	,	3	J	2WD/4WD maximum towing capacity (lbs.)	3,500	3,500	6,500		6,300/6,100	
								Seating (passengers)	4	4	4	5	5	5
COLORS								Fuel capacity (gal.)	21.1	21.1	21.1	21.1	21.1	21.1
Beige Fabric								2WD/4WD curb weight (lbs.)	3,686	3,801	4,125		4,248/4,43	
Premium and Sport	Glacier White	•		Marin	e Blue	Metall	ic • •	2WD/4WD long bed curb weight (lbs.)					4,303/4,518	
Black Fabric Base, Premium, Sport and RMZ-4	Gun Powder Black	•		Liquid	Meta	l Metal	lic •	© American Suzuki Motor Corporation 2008 • P.O. Box 1100, Brea, 9 responsibly: Buckle up for safety-don't drink and drive. WARNING: Spassenger cars. Avoid sharp turns and abrupt maneuvers. Always were Owner's Manual for on- and off-road driving tips. To avoid injury from under in the rear seat; always move both driver and passenger seats a child in a rear-facing child seat in the front seat; and always use the se loads within specified weight limits, distribute cargo evenly and secure	oort Utility or your sea or an airbag os far back eatbelts an	Vehicles tbelt. For ;, always from airb d buckle	handle d specific place chi pag as pr up prope	ifferentl details, ldren 12 actical; erly. Alw	y from ord please read 2 years old never trans ays keep c	inary I you and port argo

Red River Metallic

7-697-8985) Drive y from ordinary please read your years old and néver transport a ays keep cargo loads within specified weight limits, distribute cargo evenly and secure it from shifting. Pricing, specifications and equipment based on information available at the time of file posting, subject to change without notice and may differ in each sales area. Some vehicles shown with optional equipment. For more details on 2007 options, accessories, specifications and prices, contact your local Suzuki dealer. Suzuki, the "S" logo, Suzuki and Suzuki model names are Suzuki trademarks or ®. "Tread Lightly®" on public and private land. Along with concerned conservationists everywhere, Suzuki urges you to preserve your future off-road driving opportunities by showing respect for the environment local laws and the rights of others.

America's #1 Warranty

100,000 Miles/7 Yr • No Deductible • Fully Transferable

Why is it America's #1? It's the only 100,000-mile/7-year powertrain limited warranty around that doesn't have a deductible and is fully transferable for the life of the warranty. That's huge, and that's why the other guys don't talk about deductibles and transfer capability. No deductible means covered repairs are covered—you don't pay anything for parts and labor. Fully transferable means the warranty can pass from one owner to the next, increasing resale and trade-in value when it's time to buy your next car. With coverage extended for 100,000 miles or 7 years, whichever comes first, you can average a more than reasonable 14,000 miles per year. The strength of this long-term powertrain protection is compounded by a 36,000-mile/3-year new-vehicle limited warranty that also has no deductible and covers everything from the dome light to the exhaust pipe (except the battery, which is covered for 24,000 miles, and tires, which are covered by the tire manufacturer's warranty), and includes comprehensive 24-hour Roadside Assistance as well as a convenient Courtesy Vehicle Program. So...that's why we can say it's America's #1. Sounds good, doesn't it!

¹Bilstein® is a registered trademark of Krupp Bilstein GmbH Corp. ²BFGoodrich® is a registered trademark of Michelin North America, Inc. ³6-foot bed optional. ⁴Bluetooth® is a trademark of Bluetooth® SIG, Inc. 5Rockford Fosgate® is a registered trademark of Rockford Corp. ⁶Required XM® tuner and subscription sold separately. All fees and programming subject to change. Subscriptions subject to customer agreement available at xmradio.com. XM® service only available in the 48 contiguous United States. The XM® name is a registered trademark of XM® Satellite Radio. ⁷The Tire Pressure Monitoring System (TPMS) is not a substitute for regular tire pressure inspections. Tire pressures should be checked at least monthly using a tire pressure gauge. Maintaining the recommended tire pressure can help avoid performance problems, tire damage and premature wear. See the Owner's Manual for additional details. 84WD maximum payload on long bed is 1.293 lbs. Honda Ridgeline®. Toyota Tacoma®. Chevrolet Colorado®. Ford Ranger®, Dodge Dakota® are registered trademarks. All competitor specifications are obtained from manufacturers' websites and based on MY08. Color options may vary by trim. Specifications and equipment based on information available at time of print and subject to change without notice. For more information, contact your local Suzuki dealer or visit Suzukiauto.com.

EQUATOR SPECIFICATIONS AND FEATURES

60/40 rear-seat cushion flip up/seat back fold-up

Front bucket seats with center console

SEATING

Fold-flat passenger seat

S = Standard O = Optional — = Not Available

vailable

EXTENDED CAB

BASE PREMIUM SPORT BASE SPORT RMZ-4 S S S S S S S S S S S S

CREW CAB

S

S

SAFETY FEATURES						
Driver and front-passenger dual-stage supplemental airbags	S	S	S	S	S	S
Roof-mounted curtain side-impact and rollover supplemental airbags for outboard occupant head protection	S	S	S	S	S	S
Front seat-mounted side-impact supplemental airbags	S	S	S	S	S	S
Front seat belts with pretensioners, load limiters and adjustable anchors	S	S	S	S	S	S
Retractors for all seating positions with built-in load limiters	S	S	S	S	S	S
Tire Pressure Monitoring System (TPMS ⁷)	S	S	S	S	S	S
Vehicle Dynamic Control (VDC)	_	_	_	_	_	0
Anti-lock Braking System (ABS)	S	S	S	S	S	S
Anti-theft vehicle immobilizer			_	ς	<u> </u>	<u> </u>

EXTERIOR DIMENSIONS

72.8	72.8	72.8	72.8	72.8	72.8
68.7	68.7	69.7	70.1	70.1	70.1
61.4/18.0	61.4/18.0	61.4/18.0	61.4/18.0	61.4/18.0	61.4/18.0
206.6	206.6	206.6	206.6	206.6/220.1	206.6
125.9	125.9	125.9	125.9	125.9/139.9	125.9
	68.7 61.4/18.0 206.6	68.7 68.7 61.4/18.0 61.4/18.0 206.6 206.6	68.7 68.7 69.7 61.4/18.0 61.4/18.0 61.4/18.0 206.6 206.6 206.6	68.7 68.7 69.7 70.1 614/18.0 614/18.0 61.4/18.0 61.4/18.0 206.6 206.6 206.6 206.6	68.7 68.7 69.7 70.1 70.1 614/18.0 614/18.0 614/18.0 614/18.0 614/18.0 206.6 206.6 206.6 206.6 206.6 206.6/220.1

INTERIOR DIMENSIONS	EX TENDED CAB	CKEM CAB
Headroom, front/rear (in.)	39.7/38.3	40.0/38.7
Legroom, front/rear (in.)	42.4/25.4	42.4/33.6
Shoulder room, front/rear (in.)	58.3/54.9	58.3/58.3
Hip room, front/rear (in.)	55.8/55.0	55.6/58.0
Interior volume (cu. ft.)	87.7	101.1

EPA ESTIMATED FUEL ECONOMY

2WD Inline-4 manual city/highway (mpg)	19/23	_
2WD Inline-4 automatic city/highway (mpg)	17/22	_
2WD V6 automatic city/highway (mpg)	15/20	15/20
4WD V6 automatic city/highway (mpg)	<u> </u>	15/19

WHEEL AVAILABILITY BY TRIM



Base Wheel



Mid-level Wheel

EQUATOR ACCESSORIES



Towing System



Side Steps



Splash Guard



Sliding Bed Divider



All-Weather Floor Mats



RMZ-4 Wheel

^{® 2008} American Suzuki Motor Company